

COLLARO WASTAFELONDERKAST HOEKIG


PRODUCTINFORMATIE




Artikeltitel	Villeroy & Boch Collaro Wastafelonderkast, 4 uittrekladen, 1600 x 548 x 500 mm, Glossy White / Glossy White
Artikelnummer	C02800DH
Montage / Montagetype	wandmontage
Type opening	4 uittrekladen
Uitrusting	2 x hoge glazen ladeschotjes , 4 x lage glazen ladeschotjes 2 x opbergdoos L 4 x uittrekladen met antislip mat
Onderdelen van de levering	1 x wastafelonderkast , 1 x bevestigingsset
Positie wastafel	wastafel in het midden
Diepte in mm	500
Breedte in mm	1600
Hoogte in mm	548
Collectie	Collaro
Geschikt voor	bijpassende meubelwastafels
Functie	met SoftClosing
Materiaal voorzijde	MDF
Oppervlakte Voorzijde	Acrylfolie
Materiaal corpus	MDF
Oppervlakte ombouw	Acrylfolie
Materiaal afdekplaat	MDF
Ander materiaal	Greep: Aluminium
Andere oppervlakken	Greep: lak, mat
Vorm	Hoekig
Kleuraanduiding	Glossy White
Kleuraanduiding van de afdekplaat	Glossy White
Andere kleuraanduiding	Greep: White Matt
Met verlichting	Nee
Smart Home-compatibel	Nee

TECHNISCHE TEKENINGEN

C02800DH



N-L 220 - 240V



The technical drawing shows a rectangular building footprint with overall dimensions of 1600 units by 763 units. The width is divided into three sections: two side sections of 585 units each and a central section of 315 units. The height is divided into three sections: a top section of 58 units, a middle section of 540 units, and a bottom section of 58 units. A central horizontal corridor or feature is shown with a width of 150 units. A small circular feature is located in the center of the footprint. The drawing also includes a detailed view of the corner joint, showing a 500 unit wide section with a 190 unit high vertical element and a 30 unit thick wall. Other dimensions include 640, 548, 435, 650, 215, 148, 326, 317, and 498.

Technical drawing of a rectangular structure, likely a window or door frame, showing dimensions in millimeters. The overall width is 1500 mm, divided into four segments: 425 mm, 785.5 mm, 785.5 mm, and 425 mm. The overall height is 430 mm. The drawing includes dashed lines indicating internal components or offsets.

	1 	2 	H2	A1
4A33 8G		X		570
4168 8C/8L		X		605
4A22 8F	X		1050	645
4A22 8G /8L		X		645